

**FENWICK & WEST LLP**

Silicon Valley Center • 801 California Street • Mountain View, CA 94041

Tel 650.988.8500 • Fax 650.938.5200 • www.fenwick.com

FACSIMILE TRANSMISSION**CONFIDENTIAL**

DATE: March 20, 2003

ACCOUNT: 22227-04647

TO: PLEASE DELIVER TO EXAMINER LUU IMMEDIATELY

| NAME | FAX No. | PHONE No. |
|--|--------------|--------------|
| Examiner Luu U.S. Patent and Trademark Office | 703-605-0586 | 703-605-4328 |

FROM: Amir H. Raubvogel

PHONE: (650) 335-7276

NUMBER OF PAGES WITH COVER PAGE: 23 ORIGINAL WILL NOT FOLLOW

MESSAGE:**Re: Serial #09/846,823**
"Relationship Discovery Engine"

Attached is a Second Supplemental Petition to Make Special for filing with the above-referenced patent application.

Sincerely,
Amir H. Raubvogel
Fenwick & West LLP**CAUTION - CONFIDENTIAL**

THE INFORMATION CONTAINED IN THIS FACSIMILE MESSAGE IS PRIVILEGED AND CONFIDENTIAL INFORMATION INTENDED ONLY FOR THE USE OF THE INDIVIDUAL OR ENTITY NAMED ABOVE OR THEIR DESIGNEE. IF THE READER OF THIS MESSAGE IS NOT THE INTENDED RECIPIENT, YOU ARE HEREBY NOTIFIED THAT ANY DISSEMINATION, DISTRIBUTION OR COPY OF THIS COMMUNICATION IS STRICTLY PROHIBITED. IF YOU HAVE RECEIVED THIS COMMUNICATION IN ERROR PLEASE IMMEDIATELY NOTIFY US BY TELEPHONE AND RETURN THE ORIGINAL MESSAGE TO US AT THE ABOVE ADDRESS VIA THE U.S. POSTAL SERVICE. THANK YOU.

IF YOU DO NOT RECEIVE ALL OF THE PAGES, OR IF THEY ARE NOT CLEAR,
PLEASE CALL MY SECRETARY, CATHY MARTIN AT (650) 493-5343 AS SOON AS POSSIBLE.

RECEIVED
MAR 21 2003
GROUP 3600

PTO/SB/21 (modified)

Approved for use through xx/xx/xx, OMB 0651-0031

Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE


| | | | |
|---|--|--|----------------|
| 0001/PTO Rev. 10/95 | U.S. Department of Commerce Patent and Trademark Office | Application Number | 09/846,823 |
| | | Filing Date | April 30, 2001 |
| | | First Named Inventor | Ted E. Dunning |
| | | Group Art Unit Number | 2165 |
| | | Examiner Name | Luu |
| TRANSMITTAL FORM (to be used for all correspondence during pendency of filed application) | | Total Number of Pages in This Submission | 22 |
| | | Attorney Docket Number | 22227-04647 |

ENCLOSURES (check all that apply)

- | | |
|---|---|
| <input type="checkbox"/> Fee Transmittal Form (in duplicate) <input type="checkbox"/> Check Enclosed | <input type="checkbox"/> Issue Fee Transmittal |
| <input type="checkbox"/> Return Receipt Postcard | <input type="checkbox"/> Letter to Chief Draftsperson |
| <input type="checkbox"/> Response to Notice to File Missing Parts | <input type="checkbox"/> Formal Drawing(s): [] Sheet(s) of Figure(s) [] |
| <input type="checkbox"/> Assignment & Recordation Cover Sheet | <input type="checkbox"/> Appeal Communication to Board of Appeals and Interferences |
| <input type="checkbox"/> Declaration | <input type="checkbox"/> Appeal Communication to Group (Appeal Notice, Brief, Reply Brief) |
| <input type="checkbox"/> Power of Attorney | <input type="checkbox"/> Certified Copy of Priority Document(s) |
| <input type="checkbox"/> Application Data Sheet | <input type="checkbox"/> After Allowance Communication to Group |
| <input type="checkbox"/> Information Disclosure Statement & PTO/SB/08A <input type="checkbox"/> Copies of IDS Cited References | <input checked="" type="checkbox"/> Second Supplemental Petition to Make Special |
| <input type="checkbox"/> Request for Corrected Filing Receipt | <input checked="" type="checkbox"/> JP Patent: JP2001202368 |
| <input type="checkbox"/> Request for Correction of Recorded Assignment | <input type="checkbox"/> |
| <input type="checkbox"/> Amendment/Response: [] Page(s) <input type="checkbox"/> After Final | <input type="checkbox"/> |
| <input type="checkbox"/> Status Request | <input type="checkbox"/> |
| <input type="checkbox"/> Revocation and Substitute Power of Attorney | <input type="checkbox"/> |


REMARKS:

SIGNATURE OF ATTORNEY OR AGENT

| | |
|--------------------|---|
| Signature: |  |
| Attorney/Reg. No.: | Amir H. Raubvogel, Reg. No.: 37,070 |
| Dated: | March 20, 2003 |

CERTIFICATE OF FACSIMILE TRANSMISSION

I hereby certify that this correspondence, including the enclosures identified above, is being transmitted on the date shown below via facsimile to: Commissioner for Patents at the facsimile number indicated below.

| | |
|------------------------|---|
| Signature: |  |
| Typed or Printed Name: | Amir H. Raubvogel |
| Dated: | March 20, 2003 |
| Facsimile Number: | 1-703-605-0586 |

22227/04647/DOCS/1336733.1

RECEIVED
MAR 21 2003
GROUP 3800

PATENT

IN THE UNITED STATES

PATENT AND TRADEMARK OFFICE

APPLICANTS: Ted E. Dunning and Bradley D. Kindig
APPLICATION NO.: 09/846,823
FILING DATE: April 30, 2001
TITLE: Relationship Discovery Engine
EXAMINER: Not yet known
GROUP ART UNIT: 2165
ATTY. DKT. NO.: 22227-04647

CERTIFICATE OF FACSIMILE TRANSMISSION

I hereby certify that this correspondence is being sent via facsimile transmission to the U.S. Patent and Trademark Office at facsimile number (703) 605-0586 (Attn.: Examiner Luu) and addressed to: Commissioner for Patents, Washington, D.C. 20231, on the date printed below:

Dated: March 20, 2003

By: 

Amir H. Raabvogel, Reg. No. 37,070

COMMISSIONER FOR PATENTS
WASHINGTON, D.C. 20231

SECOND SUPPLEMENTAL
PETITION TO MAKE SPECIAL

SIR:

In response to the Decision on Petition to Make Special, which was mailed on October 8, 2002, Applicants are hereby filing a Second Supplemental Petition to Make Special which specifies that the discussion is related to the references deemed most closely related to the subject matter.

We previously submitted a fee transmittal, in duplicate, with our Supplemental Petition to Make Special dated October 23, 2003, which authorizes the U.S. Patent and Trademark Office to charge the required fees for the Petition to Make Special to our deposit account 19-2555. No additional fees are required.

22227/04647/DOCS/1336638.1

RECEIVED
MAR 21 2003
GROUP 3800

PATENT

Applicants hereby petition to make the above-referenced application special as described in MPEP §708.02 VIII. No examination has yet been taken by an Examiner in this case. The claims are directed to a single invention. If the Office determines that all the claims presented are not obviously directed to a single invention, Applicants will make an election without traverse as a prerequisite to the grant of special status.

A pre-examination search has been made with respect to the present invention by the professional searching company MetroPatent. The following classes and subclasses were searched: Class 709, subclass 231. Additional search of EAST was conducted by Applicants' representatives.

Pursuant to the provisions of 37 CFR 1.56 and 1.97-98, we previously submitted a modified form PTO-1449 listing references for consideration by the Examiner. A copy of each of those references not already of record and deemed most closely related to the subject matter encompassed by the claims was sent with the original Petition to Make Special. Per Examiner's request, we are including with this Second Supplemental Petition to Make Special another copy of the Japanese reference No. JP2001202368. The inclusion of these references shall not be construed as a representation regarding the completeness of the list of references, or that inclusion of a reference in this list is an admission that it is prior art or is pertinent to this application, or as an admission that the information listed is, or may be considered to be, material to patentability, or that no other material information exists, and shall not be construed as an admission against interest in any manner.

Detailed Discussion of the References

Pursuant to the provisions of MPEP §708.02 VIII, the following is a detailed discussion of the references deemed most closely related to the subject matter listed in the previously

PATENT

submitted modified form PTO-1449, which discussion points out, with the particularity required by 37 CFR 1.111(b) and (c), how the claimed subject matter is patentable over the references.

Independent claim 1 recites:

1. A computer-implemented method of discovering relationships between items, comprising:
 - accepting item selections from a plurality of users;
 - generating a log for each user, each log containing identifiers for the user's item selections;
 - accepting a query including at least one query item identifier;
 - scoring the user logs, responsive to a degree of occurrence of the at least one query item identifier in the user logs, to generate user log scores; and
 - determining at least one result item, responsive to a degree of occurrence in at least a subset of the scored user logs.

Independent claim 34 recites:

34. A computer-implemented method of discovering a relationship between a first item and a second item, comprising:
 - determining a total number of item groups N ;
 - determining a number of item groups N_1 in a subset of item groups, the subset of item groups being defined as including those item groups that contain a second item;
 - determining a number of item groups N_2 not in the subset of item groups;
 - determining a number of item groups k_1 in the subset that contain the first item;

PATENT

determining a number of item groups k_{12} not in the subset that contain the first item;
determining a number of item groups $k_{21} = N_1 - k_{11}$ in the subset that do not contain
the first item;
determining a number of item groups $k_{22} = N_2 - k_{12}$ not in the subset that do not
contain the first item;
and determining a log likelihood ratio.

Independent claim 39 recites:

39. A system for discovering relationships among items, comprising:

a user interface for accepting item selections from a plurality of users;
at least one log database, coupled to the user interface, for storing a log for each user,
each log containing identifiers for the user's item selections;
a query input device for accepting a query including at least one query item identifier;
and
a recommendation engine, coupled to the log database and to the query input device,
for scoring the user logs, responsive to a degree of occurrence, to generate user
log scores, and for determining at least one result item, responsive to a degree
of occurrence in at least a subset of the scored user logs.

Independent claim 59 recites:

59. A computer-readable medium comprising computer-readable code for discovering
relationships between items, comprising:

computer-readable code adapted to accept item selections from a plurality of users;

PATENT

computer-readable code adapted to generate a log for each user, each log containing

identifiers for the user's item selections;

computer-readable code adapted to accept a query including at least one query item

identifier;

computer-readable code adapted to score the user logs, responsive to a degree of

occurrence of the at least one query item identifier in the user logs, to generate

user log scores; and

computer-readable code adapted to determine at least one result item, responsive to a

degree of occurrence in at least a subset of the scored user logs.

Independent claim 93 recites:

93. A computer-readable medium comprising computer-readable code for discovering a relationship between a first item and a second item, comprising:

computer-readable code adapted to determine a total number of item groups N ;

computer-readable code adapted to determine a number of item groups N_1 in a subset

of item groups, the subset of item groups being defined as including those

item groups that contain a second item;

computer-readable code adapted to determine a number of item groups N_2 not in the

subset of item groups;

computer-readable code adapted to determine a number of item groups k_{11} in the

subset that contain the first item;

computer-readable code adapted to determine a number of item groups k_{12} not in the

subset that contain the first item;

PATENT

computer-readable code adapted to determine a number of item groups $k_{21} = N_1 - k_{11}$

in the subset that do not contain the first item;

computer-readable code adapted to determine a number of item groups $k_{22} = N_2 - k_{12}$

not in the subset that do not contain the first item; and

computer-readable code adapted to determine a log likelihood ratio.

The present invention provides a recommendation engine and application capable of discovering relationships among items and recommending items without requiring undue effort on the part of the user. The recommendations provided by the present invention are based on user profiles that take into account actual preferences of users, without requiring users to complete questionnaires. The present invention provides improved data analysis by avoiding inaccurate assumptions regarding distribution of user preferences. In particular, the present invention employs a binomial log likelihood ratio to provide improved analysis of data points describing user preferences. The invention thus provides improved recommendation generation, while avoiding the problems of overstatement of coincidences and dominance of bestsellers.

The claims are directed toward several different variations of these recommendation engine techniques. Claim 1 recites a method for discovering relationships by accepting item selections from a plurality of users, generating a log for each user, accepting a query including at least one query item identifier, scoring the user logs responsive to a degree of occurrence of the at least one query identifier in the user logs, to generate user scores. Claim 34 recites a method claim for discovering a relationship between a first and second item by determining a total number of item groups N , determining a number of item groups N_1 in a subset of item groups, determining a number of item groups N_2 not in the subset of item groups, determining a number of item groups k_{11} in the subset that contain the first item, determining a number of item groups k_{12} not in the subset that contain the first item, determining a number of item groups $k_{21} = N_1 - k_{11}$,

PATENT

determining a number of item groups $k_{22} = N_2 - k_{12}$, and determining a log likelihood ratio. Claim 39 recites a system for discovering relationships using a user interface for accepting item selections from a plurality of users, at least one log database, a query input device for accepting a query including at least one query item identifier, and a recommendation engine for scoring the user logs. Claim 59 recites a computer program product corresponding to the method of claim 1. Claim 93 recites a computer program product corresponding to the method of claim 34.

U.S. Patent No. 6,065,058 to Hailpern et al., "Dynamic Push Filtering Based on Information Exchanged Among Nodes in A Proxy Heirarchy"

Hailpern et al. is understood to disclose a method and system for filtering push information in a client-server hierarchy based on actual usage information. A pushed object is communicated down the hierarchy by communicating usage information up the hierarchy and filtering the pushed object based on the communicated usage information. Usage information can include actual object reference/access patterns.

However, Hailpern et al. does not teach the invention of claims 1, 34, 39, 59, or 93 and in particular does not teach any technique for accepting a query. Rather, Hailpern et al. uses filtering to push an object to a user, and in fact solves a completely different problem than that addressed by the present invention. Hailpern et al. seeks to reduce network traffic caused by increased popularity of the world wide web. Specifically, Hailpern et al. teaches a push based filtering approach intended to avoid delays caused by increased traffic when a user requests a document. Hailpern et al. pushes objects through a client-server hierarchy without a request by the user. Thus, Hailpern et al. fails to disclose any technique for accepting a query as claimed herein, and in fact teaches away from accepting a query since push technology generally involve

Furthermore, with respect to claims 34 and 93, Hailpern et al. does not teach any technique for using a log likelihood ratio. Rather, Hailpern et al. merely discloses the use of a

PATENT

usage label to convey preference information. The preference information in the usage label consists of a usage category and a preference category. The usage category is a simple count of the number of times an object is referenced by a user. The preference category conveys user-identified preferences. In neither case does Hailpern et al. use a log likelihood ratio as recited in claims 34 and 93.

U.S. Patent Application Publication No. US 2002/0013852 A1 to Janik, "System for providing Content Management, and Interactivity For Thin Client Devices"

Janik is understood to disclose a system for delivering content, data, and application services to a variety of thin client devices. The system is used to provide a means for end users to program preference-based content for delivery at various client services, and then to automatically or under the control of the user, send the content to client devices for presentation to the end user.

However, Janik does not teach the invention of claims 1, 34, 39, 59, or 93 and in particular does not teach any technique for scoring user logs, responsive to a degree of occurrence of at least one query item identifier in user logs. Rather, Janik provides the user with the ability to group audio files into user defined playlists. Since the playlist is user defined, it teaches away from a relationship discovery engine claimed in the present invention. In particular, in the system disclosed in Janik, the user identifies content to be delivered. Janik does not disclose scoring user logs, responsive to a degree of occurrence of at least one query item identifier in user logs as claimed herein. Furthermore, Janik fails to disclose a technique for determining at least one result item as claimed herein. Janik merely permits the user to group audio files and consequently has no need to score user logs to discover relationships or to determine a result item. In contrast, the present invention recommendation engine makes a

PATENT

recommendation by determining at least one result item responsive to a degree of occurrence in at least a subset of the scored user logs.

Furthermore, with respect to claims 34 and 93, Janik does not teach any technique for using a log likelihood ratio. Janik does not teach any sort of scoring or use of a log likelihood ratio since the playlists in Janik are user defined.

U.S. Patent Application Publication No. US 2001/0044855 A1 to Vermeire et al., "System for Accessing Content"

Vermeire et al. is understood to disclose a system for accessing content from the Internet and other computer networks using a database, a content provider interface, and a viewer interface. The database maps channel codes to network addresses as well as to content descriptions. The content provider assists content providers in entering network addresses and content descriptions for their information and entertainment content into the database. The viewer guide displays the content descriptions and a network browser allows a user to view the content of a channel. Additionally, the network browser creates a Favorite Channel system including a submenu for each genre and assigns each channel the user designates as a favorite to that genre submenu.

However, Vermeire et al. does not teach the invention of claims 1, 34, 39, 59, or 93 and in particular does not teach any technique for scoring user logs, responsive to a degree of occurrence of at least one item identifier in the user logs. Even though Vermeire et al. teaches the use of a Favorite Channel system, the channels in the Favorite Channel system are assigned by the user. The user must identify a favorite channel for the browser to include in the Favorite Channel system. Since such channels are user identified, Vermeire system teaches away from a relationship discovery engine as claimed herein. The present invention recommendation engine scores user logs, responsive to a degree of occurrence of at least one item identifier in the user

PATENT

logs. Thus, the present invention implements a scoring process without requiring the user to assign a score or a favorite.

Furthermore, Vermeire et al. fails to disclose any technique for determining at least one result item. Vermeire et al. discloses merely having a user identify a favorite. In contrast, the present invention recommendation engine determines at least one result item and is therefore not reliant on a user identifying favorites.

Furthermore, with respect to claims 34 and 93, Vermeire et al. does not teach any technique for using a log likelihood ratio. Vermeire et al. does not teach any sort of scoring or use of a log likelihood ratio since the system in Vermeire et al. is user defined.

U.S. Patent Application Publication No. US 2001/0042107 A1 to Palm, "Networked Audio Player Transport Protocol and Architecture"

Palm is understood to disclose a system for communications using a networked multimedia device and a media server. A user may navigate and select a particular media item to be played. The user, also, can indicate user preferences such as a hierarchical list, searches and content provider suggestions.

However, Palm does not teach the invention of claims 1, 34, 39, 59, or 93 and in particular does not disclose any technique for scoring user logs. In Palm's system a user may indicate preferences, but there is no scoring user logs. Palm merely permits a user to identify and select a playlist. Palm does not disclose any technique for scoring user logs because the system in Palm is user defined.

Furthermore, Palm fails to disclose a technique for determining at least one result item, responsive to a degree of occurrence in at least one subset of the scored user logs. The system disclosed in Palm permits an interactive search for specific titles using key words. It will be appreciated that an interactive search is not determining a result item responsive to a degree of

PATENT

occurrence in at least a subset of user logs. Additionally, Palm discloses permitting a user to select and identify a song or playlist. Each selection in the Palm system is a selection made by the user. Thus, the system disclosed in Palm teaches away from the present invention because in the Palm system selections are user defined. In particular, there is no teaching in Palm of scoring user logs or determining result items based on the scored logs as claimed herein.

Furthermore, with respect to claims 34 and 93, Palm does not teach any technique for using a log likelihood ratio. Palm does not teach any sort of scoring or use of a log likelihood ratio since the system in Palm is user defined.


Other Claims

Since the cited references do not disclose the claimed features discussed above, claims 1, 34, 39, 59, and 93 are patentably distinguishable over the references. The remaining claims in the present application each incorporate the limitations of claims 1, 34, 39, 59, or 93, and include additional features and limitations. Therefore, all claims herein are patentably distinguishable over the cited references for at least the reasons discussed above.

Consideration of the cited references and other information and grant of special status by this petition is solicited.

Respectfully submitted,
Ted E. Dunning and Bradley D. Kindig

Dated: March 20, 2003

By: 
Amir H. Raubvogel, Reg. No. 37,070
Fenwick & West LLP
801 California Street
Mountain View, CA 94041
Tel.: (650) 335-7276
Fax: (650) 938-5200